


## Series 1010 Old Style Deadlocks







Series 1010 Old Style Deadlocks are lever tumbler, mechanical locks designed for use on small swinging doors such as access panels, plumbing spaces, electric panels, or hatches which are infrequently used. They are not intended for use on cell doors.

**SS-1010-1..... Keyed One Side**

**SS-1010-2..... Keyed Two Sides**




**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.

Series 1010 Old Style Deadlocks Parts Diagram




1010 Old Style Deadlocks • SS-1010-1 – Keyed One Side • SS-1010-2 – Keyed Two Sides

| Item | Quantity | Description                        | Right Hand | Left Hand | Price    |
|------|----------|------------------------------------|------------|-----------|----------|
| 1    | 1        | Cover Plate                        |            |           |          |
| 2    | 1        | Case                               |            |           |          |
| 3    | 1        | Bolt 1/2" Projection               | 76760144   | 76760143  | \$224.00 |
|      |          | Bolt 1-1/4" Projection             | 76760145   | 76760146  | \$224.00 |
| 4    | 1        | Lock Cylinder                      |            |           |          |
| 5    | 1        | Tumbler Set                        |            |           |          |
| 6    | 1        | Lockbolt Guide Pin                 |            |           |          |
| 7    | 1        | Lockbolt Stop Pin                  |            |           |          |
| 8    | 2        | 5/32 Roll Pin 3/4"                 |            |           |          |
| 9    | 1        | 10-32 Flat Head machine Screw 1/2" |            |           |          |







Series 1010A New Style Deadlocks are lever tumbler, mechanical locks designed for use on small swinging doors such as access panels, plumbing spaces, electric panels, or hatches which are infrequently used. They are not intended for use on cell doors.

**SS-1010A-1..... Keyed One Side**


**SS-1010A-2..... Keyed Two Sides**



**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



### 1010A New Style Deadlocks • SS-1010A-1 – Keyed One Side • SS-1010A-2 – Keyed Two Sides

| Item      | Description                                            | Part #   | Price |
|-----------|--------------------------------------------------------|----------|-------|
| 1-9       | Key Cylinder 1                                         | J/R      |       |
| 10        | 1010A Case Assembly                                    | 76761802 |       |
| 11        | 1010A Cover                                            | 96961812 |       |
| 12        | 1010A Deadbolt 1/2" Bolt Projection <sup>2</sup>       | 76761806 |       |
| 13        | 1010A Deadbolt 1 1/4" Bolt Projection <sup>2</sup>     | 76761808 |       |
| 14        | 1010A/1017A/1080A Tumbler Set <sup>3</sup>             | 76761800 |       |
| 15        | H TRX TMPRF 10-32 x 1/2"                               | 96925130 |       |
| 16        | 1010A/AM & 1017A/AL/AM Fastener Pkg.                   | 76769992 |       |
| 17        | Pin, Coil Spring 3/16" x 1 3/8"                        | 96950045 |       |
| Not Shown | 4C Paracentric Keeper w/Fasteners <sup>4</sup>         | 76761794 |       |
| Not Shown | 4CL Paracentric Keeper Switch w/Fasteners <sup>4</sup> | 76761795 |       |

#### Notes:

1. Key cylinder type indicated on face of key cylinder. Hand of key cylinder can be determined as follows: 1-way left-hand (LH) designated on face of cylinder, 1-way right hand (RH) not marked and 2-way key cylinders are not handed. Key cylinder is determined by the job requirement and key code assigned to the lock.
2. Bolt projection can be found on lock label, if not visible it can be determined by retracting Deadbolt with key then measure from the case to end of deadbolt to obtain the bolt projection.
3. Key code (located on key), Lock type (ex: 1010A), Name of facility and Location are required information to process order for tumbler set.
4. 4C and 4CL are optional equipment. For information refer to 4C or 4CL product manual.

## Series 1010AM





### Deadbolts with Mogul Cylinders

Series 1010AM Deadlocks are mogul cylinder, mechanical locks designed for use on small swinging doors such as access panels, plumbing spaces, electric panels, or hatches which are infrequently used. They are not intended for use on cell doors.


**SS-1010AM-1..... with Mogul Cylinder**



**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



#### LUBRICANT LEGEND

\*-LUBRICATE WITH SUPER-STA GREASE NO.2 MULTIPURPOSE LITHIUM GREASE.

@-APPROVED PETROLEUM BASED LUBRICANT (DO NOT USE GRAPHITE OR SILICON LUBRICANT) SOUTHERN STEEL #96963520.

**1010AM Deadbolts with Mogul Cylinders (Continued)**

| Item                                                             | Description                                    | Part #   | Price |
|------------------------------------------------------------------|------------------------------------------------|----------|-------|
| 1                                                                | 1010AM Case Sub-Assembly                       | 76761820 |       |
| 2                                                                | 1010AM Case W/O Cyl. Hole Sub-Assy             | 76761822 |       |
| 3                                                                | 1010AM Cover                                   | 96961816 |       |
| 4                                                                | 1010AM Cover W/O Cylinder Hole                 | 96961817 |       |
| 5                                                                | 1010AM/1017AM Mogul Cylinder 2601              | J/R      |       |
| 6                                                                | 1010AM/1017AM Cylinder Retainer                | 76761842 |       |
| 7                                                                | Housing Mogul Nut 2-27                         | 76763348 |       |
| 8                                                                | 1010AM Deadbolt 1/2" Projection <sub>2</sub>   | 96961800 |       |
| 9                                                                | 1010AM Deadbolt 1-1/4" Projection <sub>2</sub> | 76761816 |       |
| 10                                                               | 1010AM Deadlock Cam                            | 96961804 |       |
| 11                                                               | 1010AM Deadlock Cam Torsion Spring             | 96961840 |       |
| 12                                                               | FH TORX TMPRF 1/4-20 x 1-5/16"                 | 96925246 |       |
| 13                                                               | 1010AM & 1017AM Fastener Pkg.                  | 76769992 |       |
| Not Shown 4C Paracentric Keeper w/Fasteners <sub>3</sub>         |                                                | 76761794 |       |
| Not Shown 4CL Paracentric Keeper Switch w/Fasteners <sub>3</sub> |                                                | 76761795 |       |

**Notes:**



1. To order replacement mogul cylinders the following information is required: Key code (located on key), Lock type (ex: 101 DAM), Name of facility and Location.
2. Bolt projection can be found on lock label, if not visible it can-be determined by retracting Deadbolt with key then measure from the case to end of deadbolt to obtain the bolt projection.
3. 4C and 4CL are optional equipment. For information refer to 4C or 4CL product manual.


## Series 1017 Snaplatches

Series 1017 Snaplatches are lever tumbler, mechanical locks designed for use on small swinging doors such as for food passes, observation shutters and other small swinging doors where snaplatching is desired. Key activated unlatching. Snaplatches upon closing. They are not intended for use on cell doors.

**SS-1017A..... Food Pass Lock Paracentric**


**SS-1017AM... Food Pass Lock Mogul Cylinder**





| Item | Quantity<br>Per Lock | Description               | Part #   |
|------|----------------------|---------------------------|----------|
| 1    | 1                    | Lock Case                 | 76761707 |
| 2    | 1                    | Lock Cover                | 76761730 |
| 3    | 1                    | Lock Bolt Standard Bevel  | 76761718 |
| 4    | 1                    | Lock Bolt Pin             | 76761741 |
| 5    | 1                    | Lock Bolt Spring          | 96961736 |
| 6    | 1                    | Tumbler Post              | 96961743 |
| 7    | 1                    | Bolt Slide                | 76761720 |
| 8    | 1                    | Tumbler Set               | 76761709 |
| 9    | 1                    | Bolt Slide Post           | 76761742 |
| 10   | 2                    | 10-32 FL HD Machine Screw | 91917008 |
| 11   | 1                    | Lock Cylinder             | 76761163 |

NOTE: The case sub assembly has  
bolt guide pin riveted to it.



#### LUBRICANT LEGEND

@-LUBRICATE WITH TRI-FLOW LUBRICANT.

\*-LUBRICATE WITH SUPER-STA GREASE NO.2 MULTIPURPOSE LITHIUM GREASE.

| Item | Description                                  | Part #   | Price |
|------|----------------------------------------------|----------|-------|
| 1    | 1010AM Case Sub-Assembly                     | 76761820 |       |
| 2    | 1010AM Case WID Cyl. Hole Sub-Assy           | 76761822 |       |
| 3    | 1010AM Cover                                 | 96961816 |       |
| 4    | 1010AM Cover WID Cylinder Hole               | 96961817 |       |
| 5    | 1010AM/1017AM Mogul Cylinder 2601            | J/R      |       |
| 6    | 1017AM Cylinder Retainer                     | 76761842 |       |
| 7    | Housing Mogul Nut 2-27                       | 76763348 |       |
| 8    | 1017AM Latch Bolt 5/8" Extended <sub>2</sub> | 76761854 |       |
| 9    | 1017AM Latch Bolt 1" Extended <sub>2</sub>   | 76761856 |       |
| 10   | 1017AM/AL Latch Bolt Compression Spring      | 96961871 |       |
| 11   | 1017AM Cover Shield <sub>3</sub>             | 96961865 |       |
| 12   | FH TRX TMPRF 1/4-20 X 1-5/16 Long            | 96925246 |       |
| 13   | 1010AIAM & 1017A1AM/AL Fastener Pkg.         | 76769992 |       |
| 14   | 5/16 Diameter Steel Ball                     | 96903207 |       |

Notes:

1. To order replacement mogul cylinders the following information is required: Key code (located on key), Lock type (ex: 1017 AM), Name of facility and Location.
2. Bolt projection can be found on lock label, if not visible it can-be determined by measuring from the case to end of latch bolt to obtain the bolt extension.
3. Cover Shield not required on 1" extended latch bolt.



### Series 1030A Automatic Deadlocks

Series 1030A Deadlocks are door mounted for sliding doors. Maximum security sliding doors at holding cells, medium-to-low traffic corridors and cutoff doors. Sliding door normally requires a Model 1300 Track Set.



Key activated unlocking. Hook bolt snaplocks upon closing.

Final 3/8" of door travel pushes plunger pin against door jamb and deadlocks bolt.


**SS-1030A-1.....Keyed One Side**

**SS-1030A-2..... Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                | Right Hand | Left Hand | Price |
|------|----------------------|----------------------------|------------|-----------|-------|
| 1    | 1                    | Lock Cover                 | 76760328   | 76760329  |       |
| 2    | 1                    | Lock Case                  | 76760307   | 76760308  |       |
| 3    | 1                    | Sliding Bolt               | 76760334   | 76760335  |       |
| 4    | 1                    | Lockbolt Post For Tumbler  |            | 76760839  |       |
| 5    | 1                    | Lockbolt Post              |            | 76760316  |       |
| 6    | 2                    | Lever Cam Post             |            | 76760323  |       |
| 7    | 1                    | Lockbolt                   |            | 76760315  |       |
| 8    | 1                    | Cover Spacer               |            | 76760319  |       |
| 9    | 1                    | Tumbler Retainer           |            | 76760309  |       |
| 10   | 1                    | Lock Cylinder              |            | 96960020  |       |
| 11   | 3                    | FH. MS. 10-32 X 1/2"       |            | 91917602  |       |
| 12   | 1                    | Tumbler Set                |            | 76760336  |       |
| 13   | 1                    | SK. BH. CS. 1/4-20 X 3/8"  |            | 91915151  |       |
| 14   | 1                    | 1/4 Lock Washer            |            | 92920836  |       |
| 15   | 1                    | Sliding Lockbolt Guide Pin |            | 76760340  |       |
| 16   | 1                    | Roll Pin 3/32 X 1/2"       |            | 96960002  |       |
| 17   | 1                    | Lockbolt Spring Pin        |            | 76760317  |       |
| 18   | 1                    | Lockbolt Spring            |            | 96960337  |       |
| 19   | 1                    | Deadlock Slide Bar         |            | 76760325  |       |
| 20   | 3                    | 5/16 Flat Washer           |            | 92920820  |       |
| 21   | 1                    | Deadbolt Spring            |            | 96960335  |       |
| 22   | 2                    | Deadlock Bolt Washer       |            | 76760326  |       |
| 23   | 1                    | Deadlock Lever Cam         |            | 96960325  |       |
| 24   | 1                    | Deadbolt Spring            |            | 96960336  |       |
| 25   | 2                    | Cotter Pin 3/32 X 1        |            | 92921013  |       |
| 26   | 1                    | Deadlock Plunger Pin       |            | 76760318  |       |



## Series 1030AD Deadlocks



Series 1030A Deadlocks are door mounted for sliding doors. Maximum security sliding doors at holding cells, low traffic corridors and cutoff doors. Sliding door normally requires a Model 1300 Track Set.

Key activated locking and unlocking of hook bolt. Does not snaplock upon closing.


**SS-1030AD-1.....Keyed One Side**

**SS-1030AD-2..... Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                | Right Hand | Left Hand |
|------|----------------------|----------------------------|------------|-----------|
| 1    | 1                    | Lock Cover                 | 76760345   | 76760346  |
| 2    | 1                    | Lock Case                  | 76760357   | 76760358  |
| 3    | 1                    | Sliding Bolt               | 76760372   | 76760373  |
| 4    | 1                    | Lockbolt Post For Tumbler  | 76760142   |           |
| 5    | 1                    | Lockbolt Post              | 76760316   |           |
| 6    | 2                    | Lever Cam Post             | 76760374   |           |
| 7    | 1                    | Lockbolt                   | 76760365   |           |
| 8    | 1                    | Cover Spacer               | 76760319   |           |
| 9    | 1                    | Tumbler Retainer           | 76760309   |           |
| 10   | 1                    | Lock Cylinder              | 96960020   |           |
| 11   | 3                    | FH. MS. 10-32 X 1/2"       | 91917602   |           |
| 12   | 1                    | Tumbler Set                | 76760359   |           |
| 13   | 1                    | SK. BH. CS. 1/4-20 X 3/8"  | 91915151   |           |
| 14   | 1                    | 1/4 Lock Washer            | 92920836   |           |
| 15   | 1                    | Sliding Lockbolt Guide Pin | 76760340   |           |



## Series 1060A Combination Spring and Deadlocks


Series 1060A Deadlocks are door mounted for swinging doors. For high Security swinging doors where slamlocking is desired. Use in low traffic passage doors and holding cells where snaplocking is desired.

Key activated unlocking by half turn. Automatically snaplocks upon closing. Full turn of the key in the opposite direction deadlocks the latchbolt.


**SS-1060A-1..... Keyed One Side**

**SS-1060A-2..... Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                      | Right Hand | Left Hand |
|------|----------------------|----------------------------------|------------|-----------|
| 1    | 1                    | Cover Plate                      | 76760630   | 76760631  |
| 2    | 1                    | Lock Case                        | 76760607   | 76760608  |
| 3    | 1                    | Lock Bolt Guide                  | 76760617   |           |
| 4    | 1                    | Key Cylinder                     | 76760633   |           |
| 5    | 1                    | Tumbler Set                      | 76760609   |           |
| 6    | 1                    | Tumbler Post                     | 76760742   |           |
| 7    | 1                    | Lockbolt Head 2-1/2"             | 76760624   |           |
| 8    | 2                    | 5/32 X 3/4" Roll Pin             | 96960001   |           |
| 9    | 1                    | Lockbolt Post                    | 76760842   |           |
| 10   | 2                    | FL. HD. Mach. Screw 10-32 X 5/8" | 91917603   |           |
| 11   | 1                    | FH. MS. 10-32 X 1/2"             | 76760640   |           |
| 12   | 1                    | Tumbler Set                      | 96960636   |           |
| 13   | 1                    | 1/4 Lock Washer                  | 76760623   |           |
| 14   | 1                    | SK. BH. CS. 1/4-20 X 3/8"        | 92920820   |           |



## Series 1060AK Combination Spring and Deadlocks


Series 1060AK Deadlocks are for swinging doors where slamlocking is desired along with the convenience of knob operation in areas where manual deadlocking with a key is desired.

Key activated unlocking by halfturn. Automatically snaplocks upon closing. Full turn of the key in the opposite direction deadlocks the latchbolt. Knob also retracts the latchbolt except when deadlocked. One side or two side knob operation.


**SS-1060AK-1..... Keyed One Side**

**SS-1060AK-2..... Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                      | Right Hand | Left Hand |
|------|----------------------|----------------------------------|------------|-----------|
| 1    | 1                    | Cover Plate                      | 76760681   |           |
| 2    | 1                    | Lock Case                        | 76760658   |           |
| 3    | 1                    | Lock Bolt Guide                  | 76760617   |           |
| 4    | 1                    | Key Cylinder                     | 76760633   |           |
| 5    | 1                    | Tumbler Set                      | 76760609   |           |
| 6    | 1                    | Tumbler Post                     | 76760742   |           |
| 7    | 1                    | Lockbolt Head 2-1/2"             | 76760624   |           |
| 8    | 2                    | 5/32 X 3/4" Roll Pin             | 96960001   |           |
| 9    | 1                    | Lockbolt Post                    | 76760842   |           |
| 10   | 2                    | FL. HD. Mach. Screw 10-32 X 5/8" | 91917603   |           |
| 11   | 1                    | Lock Bolt Guide Pin              | 76760640   |           |
| 12   | 1                    | Tumbler Set                      | 96960636   |           |
| 13   | 1                    | SK. BH. CS. 1/4-20 X 3/8"        | 92920820   |           |
| 14   | 1                    | 1/4 Lock Washer                  | 76760623   |           |
| 15   | 1                    | Shaft~Door Knob Operating Cam    | 76760696   |           |
| 16   | 1                    | Door Knob Operating              | 76760698   |           |
| 17   | 1                    | Single Knob Spindle              | 76760668   |           |
| 18   | 1                    | Single Knob Spindle Disk         | 76760669   |           |
| 19   | 1                    | Door Knob                        | 76760684   |           |
| 20   | 1                    | Rose For Door Knob               | 76760685   |           |



## Series 1070A Combination Spring and Deadlocks


Series 1070A Deadlocks are for high security swinging doors where slamlocking is desired.

Key activated unlocking. Automatically snaplocks and deadlocks upon closing. Latchbolt unlocks with a half turn of the key.


**SS-1070A-1..... Keyed One Side**

**SS-1070A-2.....Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                             | Right Hand | Left Hand |
|------|----------------------|-----------------------------------------|------------|-----------|
| 1    | 1                    | Cover Plate                             | 76760731   |           |
| 2    | 1                    | Lock Case                               | 76760708   |           |
| 3    | 1                    | Lock Bolt Guide                         | 76760717   |           |
| 4    | 1                    | Key Cylinder                            | 96960019   |           |
| 5    | 1                    | Tumbler Set                             | 76760709   |           |
| 6    | 1                    | Tumbler Post                            | 76760742   |           |
| 7    | 1                    | Lockbolt Head 3-1/4"                    | 76760624   |           |
| 8    | 2                    | 5/32 X 3/4" Roll Pin                    | 96960001   |           |
| 9    | 1                    | Lockbolt Post                           | 76760839   |           |
| 10   | 2                    | FH. Mach. Screw 10-32 X 5/8"            | 91917603   |           |
| 11   | 1                    | Lock Bolt Guide Pin                     | 76760743   |           |
| 12   | 1                    | Lockbolt Spring                         | 96960636   |           |
| 13   | 1                    | 5/16 SAE Washer                         | 92920821   |           |
| 14   | 1                    | Lockbolt Slide LH                       | 76760723   |           |
| 15   | 1                    | Deadlock Cam Pivot Pin                  | 76760740   |           |
| 16   | 1                    | Deadlock Cam                            | 76760724   |           |
| 17   | 1                    | Deadlock Cam Spring                     | 76760737   |           |
| 18   | 1                    | Deadlock Cam Pin                        | 76760738   |           |
| 19   | 1                    | Deadlock Cam Stop                       | 76760741   |           |
| 20   | 1                    | Deadlock Cam Release                    | 760718     |           |
| 21   | 1                    | 1/4 SAE Washer                          | 920820     |           |
| 22   | 1                    | Spring Retainer Washer                  | 760752     |           |
| 23   | 1                    | Deadlock Spring Rod                     | 760748     |           |
| 24   | 1                    | Deadlock Spring                         | 960737     |           |
| 25   | 1                    | Deadlock Bolt Spring Guide              | 760749     |           |
| 26   | 1                    | Deadlock Bolt Head 1-1/4" Reverse Bevel | 760762     |           |



## Series 1070AK Combination Spring and Deadlocks

Series 1070AK Deadlocks are for high security swinging doors where slamlocking is desired along with the convenience of knob operation in areas where manual deadlocking with a key is desired.







Automatically snaplocks and deadlocks upon closing. Knobs unlock with a 1/2 turn of the key. Quarter turn of the key in the opposite direction deadlocks the knobs. Knob will retract the latchbolt in both directions, except when deadlocked.

One side or two knob operation.



**SS-1070AK-1..... Keyed One Side**

**SS-1070AK-2.....Keyed Both Sides**

**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Description                                         | Right Hand | Left Hand |
|------|-----------------------------------------------------|------------|-----------|
| 1-9  | Key Cylinder 1 J/R                                  |            |           |
| 10   | 1070A Lock Bolt Assembly LH (LHRB/RHSB)             | 76761914   |           |
| 11   | 1070A Lock Bolt Assembly RH (RHRB/LHSB)             | 76761915   |           |
| 12   | Deadlock Actuator 1070A LH (LHRB/RHSB)              | 96961902   |           |
| 13   | Deadlock Actuator 1070A RH (RHRB/LHSB)              | 96961903   |           |
| 14   | 1070AK Escutcheon w/ Cyl. Hole & Fasteners 32D      | 76761901   |           |
| 15   | 1070AK Knob Assy. w/o Cyl. Hole w/ Fasteners 32D    | 76761902   |           |
| 16   | 1070AK Knob Assy. w/ Cyl. Hole & Fasteners 32D      | 76761903   |           |
| 17   | 1070ASK Knob Assy. w/o Cyl. Hole w/ Fasteners 32D   | 76761940   |           |
| 18   | 1070ASK Knob Assy. w/ Cyl. Hole & Fasteners 32D     | 76761941   |           |
| 19   | 1030AI1030DAI1070A Tumbler Set                      | 76761900   |           |
| 20   | 1070A Case                                          | 96961920   |           |
| 21   | 1070A Cover                                         | 96961922   |           |
| 22   | 1070A Deadlock Cam                                  | 96961904   |           |
| 23   | 1070A Deadlock Actuator Pin                         | 76761929   |           |
| 24   | 1070A Latchbolt Spring Bracket                      | 96961924   |           |
| 25   | 1070A Key Bolt Drive                                | 96961925   |           |
| 26   | 1070A Knob Bolt Drive                               | 96961927   |           |
| 27   | 1070AK Knob Cam                                     | 96961906   |           |
| 28   | 1070AK Knob Lock Cam                                | 96961929   |           |
| 29   | 1070AK Key Cam                                      | 96961908   |           |
| 30   | 1070AK Locking Key Cam                              | 96961931   |           |
| 31   | 1070A Deadlock Cam Torsion Spring                   | 96961942   |           |
| 32   | 1070AK Key Cam Torsion Spring                       | 96961943   |           |
| 33   | 1070A Deadlock Actuator Compression Spring          | 96961941   |           |
| 34   | 1070A Latchbolt Compression Spring                  | 96961940   |           |
| 35   | 1070AK Knob Lock Cam Lever Spring                   | 96961944   |           |
| 36   | Pin, Coil Spring 3/16" x 1-3/8" Long                | 96950045   |           |
| 37   | FHMS 10-32 x 1" Long                                | 96917602   |           |
| 38   | RHMS 10-32 X 1" Long                                | 96917176   |           |
| 39   | 1060/1 060KI1 070/1 070AI1 080/1 D80A Fastener PKG. | 76770230   |           |
| 40   | FHMS 10-32 x 1" Long Undercut SS                    | 96917596   |           |
| 41   | Pin Bolt Guide Paracentric 1070A                    | 76761939   |           |
| 42   | FHMS 8-32 X 1" Long UNCUT                           | 96917549   |           |


## Series 1080 Old Style Deadlocks

Series 1080 Deadlocks are door mounted for swinging doors. For swinging cell, corridor, storage room and high security doors where slamlocking is not required.







Key activated locking and unlocking. Deadlocks in both locked and unlocked position.

**SS-1080-1..... Keyed One Side**


**SS-1080-2..... Keyed Both Sides**



**Swing Chart:** Specify circled swing number when ordering.



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description           | Right Hand | Left Hand |
|------|----------------------|-----------------------|------------|-----------|
| 1    | 1                    | Cover Plate RH.       |            |           |
| 2    | 1                    | Lock Case RH.         |            |           |
| 3    | 1                    | Lockbolt 1/2" Proj.   | 76760865   | 76760866  |
|      |                      | Lockbolt 1-1/4" Proj. | 76760869   | 76760870  |
| 4    | 1                    | Key Cylinder          |            |           |
| 5    | 1                    | Tumbler Set           |            |           |
| 6    | 1                    | Lockbolt Guide Pin    |            |           |
| 7    | 1                    | Lockbolt Stop Pin     |            |           |
| 8    | 2                    | 5/32 X 3/4" Roll Pin  |            |           |
| 9    | 1                    | Lockbolt Post         |            |           |
| 10   | 1                    | FH.MS. 10-32 X 5/8"   |            |           |


## Series 1080A New Style Deadlocks

Series 1080A Deadlocks are door mounted for swinging doors. For swinging cell, corridor, storage room and high security doors where slamlocking is not required.







Key activated locking and unlocking. Deadlocks in both locked and unlocked position.

**SS-1080A-1..... Keyed One Side**


**SS-1080A-2..... Keyed Both Sides**



**Swing Chart: Specify circled swing number when ordering.**



\* Indicates lock mounting/access plate side.



| Item | Quantity<br>Per Lock | Description                        | Right Hand | Left Hand |
|------|----------------------|------------------------------------|------------|-----------|
| 1    | 1                    | Cover Plate RH.                    | 76760830   |           |
| 2    | 1                    | Lock Case RH.                      | 76760805   |           |
| 3    | 1                    | Lockbolt 1/2" Proj. (Non-handed)   | 76761954   |           |
|      |                      | Lockbolt 1-1/4" Proj. (Non-handed) | 76761956   |           |
| 4    | 1                    | Key Cylinder                       | 96960019   |           |
| 5    | 1                    | Tumbler Set                        | 76760809   |           |
| 6    | 1                    | Lockbolt Guide Pin                 | 76760840   |           |
| 7    | 1                    | Lockbolt Stop Pin                  | 76760141   |           |
| 8    | 2                    | 5/32 X 3/4" Roll Pin               | 96960001   |           |
| 9    | 1                    | Lockbolt Post                      | 76760839   |           |
| 10   | 1                    | FH.MS. 10-32 X 5/8"                | 91917603   |           |





## Series 10500 Institutional Mortise Locks

Designed for minimum and medium security areas where lever or knob operation is required. Available in a variety of styles utilizing several deadbolt/latchbolt combinations.

A variety of functions are available to meet job requirements. **See function charts below.**




**Swing Chart :** Compare swing to function listed for lock. Specify circled swing number when ordering.




### Function 10504 Entry Lock

- > Latchbolt operated by lever either side, except when outside lever is locked by inside thumbturn.
- > When outside lever is locked, latchbolt operated by key outside, lever inside.
- > Deadlock actuator.



### Function 10505 Classroom Lock

- > Latchbolt operated by lever either side, except when outside lever is locked by key outside.
- > Lever inside is always active.
- > Deadlock actuator.




### Function 10507 Storeroom or Closet Lock

- > Latchbolt operated by key outside, lever inside.
- > Lever outside always rigid.
- > Deadlock actuator.




### Function 10509 Apartment, Exit or Toilet Lock

- > Latchbolt operated by lever either side except when outside lever is locked by key from inside.
- > When outside lever is locked, latchbolt is operated by key outside, lever inside.
- > Deadlock actuator.



### Function 10514 Store Door Lock

- > Latchbolt operated by lever either side.
- > Deadbolt operated by key both sides.
- Modified Store Door Lock
- > Latchbolt and deadbolt operated by lever either side.
- > Deadbolt operated by key both sides.



**Function 10516** Deadlock  
 > Deadbolt is operated by key either side.



**Function 10518** Deadlock  
 > Deadbolt is operated by key from outside.



**Function 10519** Privacy, Bedroom or  
 Bath Lock  
 > Latchbolt operated by lever either side.  
 > Deadbolt operated by thumbturn inside,  
 emergency release outside.  
 > Lever inside simultaneously operates both bolts.  
 > No key operation

## **10504 Institutional Mortsie Locks**

| <b>Item</b> | <b>Description</b>                          | <b>Part #</b> |
|-------------|---------------------------------------------|---------------|
| 1           | 10500 Case                                  | 76767320      |
| 2           | 10500 Anchor Plate                          | 96967116      |
| 3           | SK FH CS 1/4 - 20 x 3/8                     | 96914651      |
| 4           | Cover 10500                                 | 96967146      |
| 5           | Guide Bushing Deadlock Actuator             | 96967256      |
| 6           | Deadlock Actuator Sub Assy LH               | 76767322      |
|             | Not Shown Deadlock Actuator sub Assy RH     | 76767224      |
| 7           | Stamping 10500 Drive Plate Deadlock Actv.   | 96967118      |
| 8           | Mach. Deadlock Cam                          | 76767251      |
| 9           | Torsion Spring (Latch bolt)                 | 96967294      |
| 10          | Spring Torsion Deadlock Cam                 | 96967285      |
| 11          | Latch Bolt (LHSB/RHRB)                      | 96967257      |
|             | Latch Bolt (RHSB/LHRB)                      | 96967258      |
| 12          | Pin 10500                                   | 76767302      |
| 13          | 10500 Cam Retraction Latch Bolt             | 96967132      |
| 14          | 10500 Cam Lockout Drive (Knob/lever)        | 96967131      |
| 15          | Spring Leaf 10500 Knob Locked               | 96967290      |
| 16          | RH MS 1/4 - 20 x 1/4                        | 96917176      |
| 17          | Cam, Knob Locking Cover Side                | 96967261      |
|             | Cam, Knob Locking Case Side                 | 96967259      |
| 18          | Bracket Cylinder Locking 10500              | 96967117      |
| 19          | FH MS 1/4 - 20 x 1/2                        | 96917678      |
| 20          | Spring Torsion 10500 Knob Lock              | 96967286      |
|             | Not Shown 15/16 Mogul Cone 2" Door          | 96963361      |
|             | Not Shown Modified Mogul Cone 1 3/4" Door   | 96963363      |
|             | Not Shown SK SS CPPT 8-32 x 1 3/4 Set Screw | 96915547      |

## **10505 Institutional Mortsie Locks**

| <b>Item</b> | <b>Description</b>                        | <b>Part #</b> |
|-------------|-------------------------------------------|---------------|
| 1           | 10500 Case                                | 76767320      |
| 2           | 10500 Anchor Plate                        | 96967116      |
| 3           | SK FH CS 1/4 - 20 x 3/8                   | 96914651      |
| 4           | Cover 10500                               | 96967146      |
| 5           | Guide Bushing Deadlock Actuator           | 96967256      |
| 6           | Deadlock Actuator Sub Assy LH             | 76767322      |
|             | Deadlock Actuator sub Assy RH             | 76767224      |
| 7           | Stamping 10500 Drive Plate Deadlock Actv. | 96967118      |
| 8           | Mach. Deadlock Cam                        | 76767251      |
| 9           | Torsion Spring (Latch bolt)               | 96967294      |
| 10          | Spring Torsion Deadlock Cam               | 96967285      |
| 11          | Latch Bolt (LHSB/RHRB)                    | 96967257      |
|             | Latch Bolt (RHSB/LHRB)                    | 96967258      |
| 12          | Pin 10500                                 | 76767302      |
| 13          | 10500 Cam Retraction Latch Bolt           | 96967132      |
| 14          | 10500 Cam Lockout Drive (Knob/lever)      | 96967131      |
| 15          | Spring Leaf 10500 Knob Locked             | 96967290      |
| 16          | RH MS 1/4 - 20 x 1/4                      | 96917176      |
| 17          | Cam, Knob Locking Cover Side              | 96967261      |
|             | Cam, Knob Locking Case Side               | 96967259      |
| 18          | Bracket Cylinder Locking 10500            | 96967117      |
| 19          | FH MS 1/4 - 20 x 1/2                      | 96917678      |
| 20          | Spring Torsion 10500 Knob Lock            | 96967286      |
|             | 15/16 Mogul Cone 2" Door                  | 96963361      |
|             | Modified Mogul Cone 1 3/4" Door           | 96963363      |
|             | 10500/10600 Thumb Turn                    | 76767334      |
|             | SK SS CPPT 8-32 x 1 3/4 Set Screw         | 96915547      |

## **10507 Institutional Mortsie Locks**

| <b>Item</b> | <b>Description</b>                        | <b>Part #</b> |
|-------------|-------------------------------------------|---------------|
| 1           | 10500 Case                                | 76767320      |
| 2           | 10500 Anchor Plate                        | 96967116      |
| 3           | SK FH CS 1/4 - 20 x 3/8                   | 96914651      |
| 4           | Cover 10500                               | 96967146      |
| 5           | Guide Bushing Deadlock Actuator           | 96967256      |
| 6           | Deadlock Actuator Sub Assy RH 10500       | 76767324      |
| 7           | Deadlock Actuator sub Assy LH 10500       | 76767322      |
|             | Stamping 10500 Drive Plate Deadlock Actv. | 96967118      |
| 7           | Mach. Deadlock Cam                        | 76767251      |
| 9           | Torsion Spring (Latch bolt)               | 96967294      |
| 10          | Spring Torsion Deadlock Cam               | 96967285      |
| 11          | Latch Bolt (RHSB/LHRB) 10500              | 96967258      |
|             | Latch Bolt (LHSB/RHRB) 10500              | 96967257      |
| 12          | Pin 10500                                 | 76767302      |
| 13          | 10500 Cam Retraction Latch Bolt           | 96967132      |
| 14          | Bracket Cylinder Locking 10500            | 96967117      |
| 15          | FHMS 1/4 - 20 x 1/2                       | 96917678      |
|             | 15/16 Mogul Cone 2"                       | 96963361      |
|             | Door Modified Mogul Cone 1 3/4" Door      | 96963363      |
|             | SK SS CPPT 8-32 x 1 3/4 Set Screw         | 96915547      |

## **10509 Institutional Mortsie Locks**

| <b>Item</b> | <b>Description</b>                        | <b>Part #</b> |
|-------------|-------------------------------------------|---------------|
| 1           | 10500 Case                                | 76767320      |
| 2           | 10500 Anchor Plate                        | 96967116      |
| 3           | SK FH CS 1/4 - 20 x 3/8                   | 96914651      |
| 4           | Cover 10500                               | 96967146      |
| 5           | Guide Bushing Deadlock Actuator           | 96967256      |
| 6           | Deadlock Actuator Sub Assy LH             | 76767322      |
|             | Deadlock Actuator sub Assy RH             | 76767224      |
| 7           | Stamping 10500 Drive Plate Deadlock Actv. | 96967118      |
| 8           | Mach. Deadlock Cam                        | 76767251      |
| 9           | Torsion Spring (Latch bolt)               | 96967294      |
| 10          | Spring Torsion Deadlock Cam               | 96967285      |
| 11          | Latch Bolt (LHSB/RHRB)                    | 96967257      |
|             | Latch Bolt (RHSB/LHRB)                    | 96967258      |
| 12          | Pin 10500                                 | 76767302      |
| 13          | 10500 Cam Retraction Latch Bolt           | 96967132      |
| 14          | 10500 Cam Lockout Drive (Knob/lever)      | 96967131      |
| 15          | Spring Leaf 10500 Knob Locked             | 96967290      |
| 16          | RH MS 1/4 - 20 x 1/4                      | 96917176      |
| 17          | Cam, Knob Locking Cover Side              | 96967261      |
|             | Cam, Knob Locking Case Side               | 96967259      |
| 18          | Bracket Cylinder Locking 10500            | 96967117      |
| 19          | FH MS 1/4 - 20 x 1/2                      | 96917678      |
| 20          | Spring Torsion 10500 Knob Lock            | 96967286      |
|             | 15/16 Mogul Cone 2" Door                  | 96963361      |
|             | Modified Mogul Cone 1 3/4" Door           | 96963363      |
|             | SK SS CPPT 8-32 x 1 3/4 Set Screw         | 96915547      |

## **10514 Institutional Mortise Locks**





| <b>Item</b> | <b>Description</b>                     | <b>Part #</b> |
|-------------|----------------------------------------|---------------|
| 1           | 10500 Case                             | 76767320      |
| 2           | 10500 Anchor Plate                     | 96967116      |
| 3           | SK FH CS 1/4 - 20 x 3/8                | 96914651      |
| 4           | Cover 10500                            | 96967146      |
| 5           | Guide Bushing Deadlock                 | 96967256      |
| 6           | Square Washer                          | 96920879      |
| 7           | 10500 Non-Deadlock Latch Bolt          | 96967136      |
| 8           | (Mach) Deadlock Cam (Latch Bolt) 10500 | 76767251      |
| 9           | Torsion Spring (Latch Bolt) 10500      | 96967294      |
| 10          | Spring Cantilever Dead Bolt 10500      | 96967291      |
| 11          | Latch Bolt (RHSB/LHRB) 10500           | 96967258      |
|             | Latch Bolt (LHSB/RHRB) 10500           | 96767257      |
| 12          | 10500 Dead Bolt (Anti-Sawing)          | 76767250      |
| 13          | Spring Torsion Deadlock Dead Bolt      | 96967293      |
| 14          | 10500 Dead Bolt Deadlock Cam           | 76767253      |
| 15          | Cam, Knob Locking 10500                | 96967260      |
| 16          | Spring Torsion 10500 Knob Locking      | 96967286      |
| 17          | Bracket Cylinder Locking 10500         | 96967117      |
| 18          | RHMS 1/4 - 20 x 1/4                    | 96917176      |
| 19          | FHMS 1/4 - 20 x 1/2                    | 96917678      |
|             | 15/16 Mogul Cone 2" Door               | 96963361      |
|             | Modified Mogul Cone 1 3/4 Door         | 96963363      |
|             | SK SS CPPT 8 – 32 x 1 3/4              | 96915547      |

## Series 10600 Institutional Mortise Locks

Designed for minimum and medium security areas where remote electric or local manual control of lever or knobs is desired. Door position switch and door closure are recommended. 204E power transfer hinge is required. A variety of functions are available to meet job requirements. **See function charts below.**




**Swing Chart :** Specify circled swing number when ordering.



F01

### Function 10601 Lockset


- > Latchbolt operated by lever either side, except when both are locked out.
- > Key outside operates latchbolt when both levers are locked out.
- > Deadlock actuator.
- > 10601E: Both levers are locked, except when power is applied.
- > 10601EP: Both levers are unlocked, except when power is applied.



F04

### Function 10604 Lockset


- > Latchbolt operated by lever either side, except when inside lever is locked out.
- > Key inside operates latchbolt when inside lever is locked out.
- > Lever outside always active.
- > Deadlock actuator.
- > 10604E: Inside lever is locked, except when power is applied.
- > 10604EP: Inside lever is unlocked, except when power is applied.



F05

### Function 10605 Lockset

- > Latchbolt operated by lever both sides, except when locked out.
- > Key both sides operates latchbolt when both levers are locked out.
- > Deadlock actuator.
- > 10605E: Both levers are locked, except when power is applied.
- > 10605EP: Both levers are unlocked, except when power is applied.




### **Function 10606 Lockset**

- > Latchbolt operated by lever inside, except when locked out.
- > Key outside operates latchbolt.
- > Lever outside always rigid.
- > Dead lock actuator.
- > 10606E: Inside lever is locked, except when power is applied.
- > 10606EP: Inside lever is unlocked, except when power is applied.



### **Function 10607 Lockset**

- > Latchbolt operated by inside lever, except when locked out.
- > Key both sides operates latchbolt.
- > Lever outside always rigid.
- > Deadlock actuator.
- > 10607E: Inside lever is locked, except when power is applied.
- > 10607EP: Inside lever is unlocked, except when power is applied.



### **Function 10608 Lockset**

- > Latchbolt operated by lever outside, except when locked out.
- > Key both sides operates latchbolt.
- > Lever inside always rigid.
- > Deadlock actuator.
- > 10608E: Outside lever is locked, except when power is applied.
- > 10608EP: Outside lever is unlocked, except when power is applied.

**10601 Institutional Mortsie Locks**

| Item | Description                            | Right Hand | Left Hand |
|------|----------------------------------------|------------|-----------|
| 1    | Case 10600                             |            | 76767303  |
| 2    | 10500 Deadlock Actuator Sub-Assy       | 76767324   | 76767322  |
|      | 10500 Deadlock Actuator Sub-Assy       |            |           |
| 3    | Anchor Plate 10500                     |            | 96967116  |
| 4    | Bracket Cylinder Locking 10500         |            | 96967117  |
| 5    | Dr. Plate Deadlock Actuator (Stamping) |            | 96967118  |
| 6    | Switch Assembly 10600                  |            | 76767327  |
| 7    | 10600 Cam, Retraction Latchbolt        |            | 76767307  |
| 8    | Cover 10500                            |            | 96967146  |
| 9    | Cam, Knob Lock Retraction 10600        |            | 96967138  |
| 10   | Pin 10500                              |            | 76767302  |
| 11   | (Mach) Deadlock Cam Latchbolt 10500    |            | 76767251  |
| 12   | Latchbolt 10500                        | 96967258   | 96967257  |
| 13   | 10500 Cam, Knob Locking                |            | 96967260  |
| 14   | Torsion, Spring 10600E, Knob Lock      |            | 96967289  |
| 15   | Torsion, Spring Latchbolt 10500        |            | 96967294  |
| 16   | Torsion, Spring Deadbolt Cam Latchbolt |            | 96967285  |
| 17   | SK FH CS 1/4 - 20 x 3/8                |            | 96914651  |
| 18   | Solenoid 10600                         |            | 96967300  |
| 19   | Roll Pin 1/8 x 3/8                     |            | 96950021  |
| 20   | SK BH CS 1/4 - 20 x 1/4                |            | 96915149  |
| 21   | Rubber Grommet                         |            | 96908999  |
| 22   | Molex Pin 22 -24 GA.                   |            | 96908598  |
| 23   | Molex -Plug                            |            | 96908620  |
| 24   | Rubber Grommet                         |            | 96908840  |
| 25   | Molex Pin 14 -20 GA.                   |            | 96908600  |
| 26   | FH MS 1/4 - 20 x 1/4                   |            | 96917678  |
|      | SK S8 CPPT 8 -32 x 1-3/4 Set Screw     |            | 96915547  |
|      | 15/16 Mogul Cone 2" Door               |            | 96963361  |
|      | Modified Mogul Cone 1-3/4" Door        |            | 96963363  |

**10605 Institutional Mortsie Locks**

| Item | Description                                  | Part #   |
|------|----------------------------------------------|----------|
| 1    | Case 10600                                   | 76767303 |
| 2    | 10500 Deadlock Actuator Sub-Assy (RH)        | 76767324 |
|      | 10500 Deadlock Actuator Sub-Assy (LH)        | 76767322 |
| 3    | Anchor Plate 10500                           | 96967116 |
| 4    | Bracket Cylinder Locking 10500               | 96967117 |
| 5    | 10500 Dr. Plate Deadlock Actuator (Stamping) | 96967118 |
| 6    | Switch Assembly 10600                        | 76767327 |
| 7    | 10600 Cam, Retraction Latchbolt              | 76767307 |
| 8    | Cover 10500                                  | 96967146 |
| 9    | Cam, Knob Lock Retraction 10600              | 96967138 |
| 10   | Pin 10500                                    | 76767302 |
| 11   | (Mach) Deadlock Cam Latchbolt 10500          | 76767251 |
| 12   | Latchbolt (RHSB, LHRB) 10500                 | 96967258 |
|      | Latchbolt (LHSB, RHRB) 10500                 | 96967257 |
| 13   | 10500 Cam, Knob Locking                      | 96967260 |
| 14   | Torsion, Spring 10600E, Knob Lock            | 96967289 |
| 15   | Torsion, Spring Latchbolt 10500              | 96967294 |
| 16   | Torsion, Spring Deadbolt Cam Latchbolt       | 96967285 |
| 17   | SK FH CS 1/4 - 20 x 3/8                      | 96914651 |
| 18   | Solenoid 10600                               | 96967300 |
| 19   | Roll Pin 1/8 x 3/8                           | 96950021 |
| 20   | SK BH CS 1/4 - 20 x 1/4                      | 96915149 |
| 21   | Rubber Grommet                               | 96908999 |

|    |                                   |          |
|----|-----------------------------------|----------|
| 22 | Molex Pin 22 - 24 GA.             | 96908598 |
| 23 | Molex Plug                        | 96908620 |
| 24 | Rubber Grommet                    | 96908840 |
| 25 | Molex Pin 14 20 GA.               | 96908600 |
| 26 | FH MS 1/4 - 20 x 1/2              | 96917678 |
|    | SK SS CPPT 8-32 x 1 3/4 Set Screw | 96915547 |
|    | 15/16 Mogul Cone 2h Door          | 96963361 |
|    | Modified Mogul Cone 1 3/4 Door    | 96963363 |

## Series 1050SD Solenoid Operated Electro-Mechanical Gate Locks

The Series 1050SD Gate locks are for swinging and sliding gates. Standard mounting is for chain link fencing, but may be modified for other types of gates.

**ELECTRIC** - Remote switch activates a solenoid which raises an internal bolt, enabling the gate to be opened. Remains unlocked until gate is closed, then automatically deadlocks.





**MECHANICAL** - Bolt may be manually retracted by paracentric key, and remains retracted until key is returned to the locked position.

**SS-1050SD-1..... Keyed One Side**

**SS-1050SD-2.....Keyed Both Sides**



**Swing Chart:** Specify circled swing number when ordering.



## Series 1050RD Solenoid Operated Electro-Mechanical Gate Locks

The Series 1050RD Gate locks are for swinging and sliding gates. Standard mounting is for chain link fencing, but may be modified for other types of gates.

**ELECTRIC** - Remote switch activates a solenoid which raises an internal bolt, enabling the gate to be opened. Remains unlocked until gate is closed, then automatically deadlocks.





**MECHANICAL** - Bolt may be manually retracted by paracentric key, and remains retracted until key is returned to the locked position.

**SS-1050RD-1..... Keyed One Side**

**SS-1050RD-2.....Keyed Both Sides**



**Swing Chart:** Specify circled swing number when ordering.



**1050SD Solenoid Operated Electro-Mechanical Locks**

| <b>Item</b> | <b>Description</b>                          | <b>Right Hand</b> | <b>Left Hand</b> |
|-------------|---------------------------------------------|-------------------|------------------|
| 1           | 1050-D Lock Case                            | 76766008          | 76766009         |
| 2           | 1050/50D RH Lock Cover                      | 76766014          | 76766015         |
| 3           | 1050-D Wire Harness                         |                   | 76766085         |
| 4           | 1050-D Switch Bracket                       | 96966302          | 96966303         |
| 5           | 1050-D Driver Rocker                        | 76766072          | 76766073         |
| 6           | 1050-D DDLK Rocker Support                  | 76766083          | 76766084         |
| 7           | 1050-D Lock Pin Assy                        |                   | 76766086         |
| 8           | 1050-D Deadlock Rocker                      |                   | 76766082         |
| 9           | 1050-D Spacer 3/8" Wide                     |                   | 76766078         |
| 10          | 1050-D Spacer 1/4" Wide                     |                   | 76766079         |
| 11          | 1050-D Solenoid Pin                         |                   | 76766081         |
| 12          | RET Ring                                    |                   | 96900594         |
| 13          | RET Ring                                    |                   | 96900631         |
| 14          | Dead Lock Ind. Switch                       |                   | 96905076         |
| 15          | SKH CS 5/16-18 x 3/8                        |                   | 96914201         |
| 16          | SK FH CS 8-32 x 1                           |                   | 96914532         |
| 17          | SKH SHS 1/4 10-24 x 1                       |                   | 96915886         |
| 18          | HH CS 1/4-20 x 1/2, Zinc Plate              |                   | 96916152         |
| 19          | 2-56 x 1/2 Pan HD Screw                     |                   | 96918047         |
| 20          | Z HLN 1/4-20 Nylon Insert                   |                   | 96920635         |
| 21          | External Washer 5/16                        |                   | 96920852         |
| 22          | Cotter Pin 3/32 x 1                         |                   | 96921013         |
| 23          | FH TRX TMPRF 5/16-18 x 3/4 Zinc             |                   | 96925350         |
| 24          | SLFLK SPR TSPN 3/16 Dia. Roll Pin 1 3/8 Lg. |                   | 96950045         |
| 25          | 3/32 x 1-1/2 Dia Roll Pin ZP                |                   | 96950035         |
| 26          | 1050D Lock Bolt Guide                       | 96966002          | 96966003         |
| 27          | 1050D Solenoid Bracket                      | 96966004          | 96966005         |
| 28          | 1050D Rocker Hold                           |                   | 96966006         |
| 29          | 1050D Torsion Spring                        | 96966008          | 96966009         |
| 30          | Torsn Spring                                | 96900647          | 96900648         |
| 31          | Solenoid Cont. Duty                         |                   | 96960540         |
| 32          | Wire Nut                                    |                   | 96908950         |
| 33          | Adhesive Back Mount                         |                   | 96909014         |
| 34          | Tie Wrap                                    |                   | 96909016         |
| 35          | SK BH CS 8-32 x 3/8                         |                   | 96915027         |
| 36          | SKH CS 1/4-20 x 3/8                         |                   | 96914151         |
| 37          | Int Ext Lock Washer 1/4 Zinc                |                   | 96920855         |
| 38          | Rubber Grommet                              |                   | 96908993         |
| 39          | Term. Ring #8 16/14 Wire                    |                   | 96908976         |
| 40          | SK BH CS 8-32 x 1/4                         |                   | 96915026         |
| 41          | Lock Washer #8                              |                   | 96920833         |
| 42          | LNK WSHR 22 GA Mild Steel                   |                   | 96950000         |
| 43          | SAE Washer 1/4                              |                   | 96920820         |
| 44          | 1050-D Lock Cover Gasket                    |                   | 76766087         |
| 45          | SAE Washer #8                               |                   | 96920817         |